


## AP EXAM FORMULAS

<b>DESCRIPTIVE STATISTICS</b>		
<b>Formula</b>	<b>Description</b>	<b>Calculator</b>
$\bar{x} = \frac{\sum x_i}{n}$	Mean	1-Var Stats
$s_x = \sqrt{\frac{1}{n-1} \sum (x_i - \bar{x})^2}$	Standard Deviation	
$s_p = \sqrt{\frac{(n_1-1)s_1^2 + (n_2-1)s_2^2}{(n_1-1)+(n_2-1)}}$	Pooled standard deviation for difference of means	2-Samp T Test
$\hat{y} = b_0 + b_1 x$	LSRL	
$b_1 = \frac{\sum (x_i - \bar{x})(y_i - \bar{y})}{\sum (x - x_i)^2}$	Slope of LSRL	
$b_0 = \bar{y} - b_1 \bar{x}$	y-intercept of LSRL	LinReg (a + bx)
$r = \frac{1}{n-1} \sum \left( \frac{x_i - \bar{x}}{s_x} \right) \left( \frac{y_i - \bar{y}}{s_y} \right)$	Correlation	
$b_1 = r \frac{s_y}{s_x}$	Slope of LSRL	
$s_{b_1} = \sqrt{\frac{\sum (y_i - \hat{y})^2}{n-2}} / \sqrt{\sum (x_i - \bar{x})^2}$	Standard deviation of LSRL slope	LinReg T Test

PROBABILITY		
Formula	Description	Calculator
$P(A \cup B) = P(A) + P(B) - P(A \cap B)$	Addition Rule	---
$P(A B) = \frac{P(A \cap B)}{P(B)}$	Conditional Probability	---
$E(X) = \mu_x = \sum x_i p_i$	Mean of a Random Variable	---
$\text{Var}(X) = \sigma_x^2 = \sum (x_i - \mu_x)^2 p_i$	Variance of a Random Variable	---
If $X$ has a Binomial distribution with parameters $n$ and $p$ , then:		
$P(X = k) = \binom{n}{k} p^k (1-p)^{n-k}$	Binomial Probability $\binom{n}{k} = \frac{n!}{k!(n-k)!}$	binompdf (n, p, k) binomcdf if $X < k$
$\mu_x = np$	Mean (Expected Value) of X	---
$\sigma_x = \sqrt{np(1-p)}$	Standard Deviation of X	---
$\mu_{\hat{p}} = p$	Mean of a Sample Proportion	---
$\sigma_{\hat{p}} = \sqrt{\frac{p(1-p)}{n}}$	Standard Deviation of a Sample Proportion	---
If $\bar{x}$ is the mean of a random sample size $n$ from an infinite population with mean $\mu$ and standard deviation $\sigma$ , then:		
$\mu_{\bar{x}} = \mu$	Mean of a Sample	----
$\sigma_{\bar{x}} = \frac{\sigma}{\sqrt{n}}$	Standard Deviation of a Sample	---

INFERENTIAL STATISTICS		
Formula	Description	Calculator
$\frac{\text{statistic} - \text{parameter}}{\text{standard deviation of statistic}}$	Standardized test statistic	invNorm invT
$\text{statistic} \pm (\text{critical value}) \cdot (\text{standard deviation of statistic})$	Confidence interval	Z Interval T Interval 2-Samp Z Int 2-Samp T Int 1-Prop Z Int 2-Prop Z Int
Single-Sample <i>(Matched Pairs)</i>		
$\frac{\sigma}{\sqrt{n}}$	Standard Deviation of Sample Mean ( $\bar{x}$ )	Z-Test T-Test
$\sqrt{\frac{p(1-p)}{n}}$	Standard Deviation of Sample Proportion ( $\hat{p}$ )	1-Prop Z Test
Two-Sample		
$\sqrt{\frac{\sigma_1^2}{n_1} + \frac{\sigma_2^2}{n_2}}$	Standard Deviation of Difference of sample means	2-Samp Z Test 2-Samp T Test
$\sqrt{\frac{p_1(1-p_1)}{n_1} + \frac{p_2(1-p_2)}{n_2}}$	Standard Deviation of Difference of sample proportions	2-Prop Z Test
$\sum \frac{(\text{observed} - \text{expected})^2}{\text{expected}}$	Chi-square test statistic ( $X^2$ )	Matrix $\rightarrow X^2$ - Test


## Standard Normal Cumulative Probability Table



Cumulative probabilities for NEGATIVE z-values are shown in the following table:

<b>z</b>	<b>0.00</b>	<b>0.01</b>	<b>0.02</b>	<b>0.03</b>	<b>0.04</b>	<b>0.05</b>	<b>0.06</b>	<b>0.07</b>	<b>0.08</b>	<b>0.09</b>
<b>-3.4</b>	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
<b>-3.3</b>	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
<b>-3.2</b>	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
<b>-3.1</b>	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
<b>-3.0</b>	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
<b>-2.9</b>	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
<b>-2.8</b>	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
<b>-2.7</b>	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
<b>-2.6</b>	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
<b>-2.5</b>	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
<b>-2.4</b>	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
<b>-2.3</b>	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
<b>-2.2</b>	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
<b>-2.1</b>	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
<b>-2.0</b>	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
<b>-1.9</b>	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
<b>-1.8</b>	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
<b>-1.7</b>	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
<b>-1.6</b>	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
<b>-1.5</b>	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
<b>-1.4</b>	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
<b>-1.3</b>	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
<b>-1.2</b>	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
<b>-1.1</b>	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
<b>-1.0</b>	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
<b>-0.9</b>	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
<b>-0.8</b>	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
<b>-0.7</b>	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
<b>-0.6</b>	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
<b>-0.5</b>	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
<b>-0.4</b>	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
<b>-0.3</b>	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
<b>-0.2</b>	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
<b>-0.1</b>	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
<b>0.0</b>	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641

## Standard Normal Cumulative Probability Table



**Cumulative probabilities for POSITIVE z-values are shown in the following table:**




Table entry for  $p$  and  $C$  is the critical value  $t^*$  with probability  $p$  lying to its right and probability  $C$  lying between  $-t^*$  and  $t^*$ .

## TABLE D t distribution critical values




Table entry for  $p$  is the point  $\chi^2$  with probability  $p$  lying to its right.

Table C Chi-square distribution critical values

df	$p$											
	.25	.20	.15	.10	.05	.025	.02	.01	.005	.0025	.001	.0005
1	1.32	1.64	2.07	2.71	3.84	5.02	5.41	6.63	7.88	9.14	10.83	12.12
2	2.77	3.22	3.79	4.61	5.99	7.38	7.82	9.21	10.60	11.98	13.82	15.20
3	4.11	4.64	5.32	6.25	7.81	9.35	9.84	11.34	12.84	14.32	16.27	17.73
4	5.39	5.99	6.74	7.78	9.49	11.14	11.67	13.28	14.86	16.42	18.47	20.00
5	6.63	7.29	8.12	9.24	11.07	12.83	13.39	15.09	16.75	18.39	20.51	22.11
6	7.84	8.56	9.45	10.64	12.59	14.45	15.03	16.81	18.55	20.25	22.46	24.10
7	9.04	9.80	10.75	12.02	14.07	16.01	16.62	18.48	20.28	22.04	24.32	26.02
8	10.22	11.03	12.03	13.36	15.51	17.53	18.17	20.09	21.95	23.77	26.12	27.87
9	11.39	12.24	13.29	14.68	16.92	19.02	19.68	21.67	23.59	25.46	27.88	29.67
10	12.55	13.44	14.53	15.99	18.31	20.48	21.16	23.21	25.19	27.11	29.59	31.42
11	13.70	14.63	15.77	17.28	19.68	21.92	22.62	24.72	26.76	28.73	31.26	33.14
12	14.85	15.81	16.99	18.55	21.03	23.34	24.05	26.22	28.30	30.32	32.91	34.82
13	15.98	16.98	18.20	19.81	22.36	24.74	25.47	27.69	29.82	31.88	34.53	36.48
14	17.12	18.15	19.41	21.06	23.68	26.12	26.87	29.14	31.32	33.43	36.12	38.11
15	18.25	19.31	20.60	22.31	25.00	27.49	28.26	30.58	32.80	34.95	37.70	39.72
16	19.37	20.47	21.79	23.54	26.30	28.85	29.63	32.00	34.27	36.46	39.25	41.31
17	20.49	21.61	22.98	24.77	27.59	30.19	31.00	33.41	35.72	37.95	40.79	42.88
18	21.60	22.76	24.16	25.99	28.87	31.53	32.35	34.81	37.16	39.42	42.31	44.43
19	22.72	23.90	25.33	27.20	30.14	32.85	33.69	36.19	38.58	40.88	43.82	45.97
20	23.83	25.04	26.50	28.41	31.41	34.17	35.02	37.57	40.00	42.34	45.31	47.50
21	24.93	26.17	27.66	29.62	32.67	35.48	36.34	38.93	41.40	43.78	46.80	49.01
22	26.04	27.30	28.82	30.81	33.92	36.78	37.66	40.29	42.80	45.20	48.27	50.51
23	27.14	28.43	29.98	32.01	35.17	38.08	38.97	41.64	44.18	46.62	49.73	52.00
24	28.24	29.55	31.13	33.20	36.42	39.36	40.27	42.98	45.56	48.03	51.18	53.48
25	29.34	30.68	32.28	34.38	37.65	40.65	41.57	44.31	46.93	49.44	52.62	54.95
26	30.43	31.79	33.43	35.56	38.89	41.92	42.86	45.64	48.29	50.83	54.05	56.41
27	31.53	32.91	34.57	36.74	40.11	43.19	44.14	46.96	49.64	52.22	55.48	57.86
28	32.62	34.03	35.71	37.92	41.34	44.46	45.42	48.28	50.99	53.59	56.89	59.30
29	33.71	35.14	36.85	39.09	42.56	45.72	46.69	49.59	52.34	54.97	58.30	60.73
30	34.80	36.25	37.99	40.26	43.77	46.98	47.96	50.89	53.67	56.33	59.70	62.16
40	45.62	47.27	49.24	51.81	55.76	59.34	60.44	63.69	66.77	69.70	73.40	76.09
50	56.33	58.16	60.35	63.17	67.50	71.42	72.61	76.15	79.49	82.66	86.66	89.56
60	66.98	68.97	71.34	74.40	79.08	83.30	84.58	88.38	91.95	95.34	99.61	102.7
80	88.13	90.41	93.11	96.58	101.9	106.6	108.1	112.3	116.3	120.1	124.8	128.3
100	109.1	111.7	114.7	118.5	124.3	129.6	131.1	135.8	140.2	144.3	149.4	153.2